L Number	Hits	Search Text	DB	Time stamp
–	910	(dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:33
–	3	(((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) same (imag$3 near2 partition$4)) and (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 10:01
–	3	(((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) same (imag$3 near2 partition$4)) and (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:19
–	11	((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) same (imag$3 near2 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 10:42
–	4	((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) same (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 10:13
–	14	(((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) and (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))) and ((hard adj (disk or drive)) or (storage adj medium))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 10:44
–	36	((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) and (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 10:38
–	142	(dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4	EPO; JPO; DERWENT	2004/05/25 10:35
–	3	((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) and (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	EPO; JPO; DERWENT	2004/05/25 10:39
–	1	((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) and (imag$3 near2 partition$4)	EPO; JPO; DERWENT	2004/05/25 10:42
–	1	((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4) same ((hard adj (disk or drive)) or (storage adj medium))	EPO; JPO; DERWENT	2004/05/25 10:44
–	1	6405198.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:26
–	1	6199033.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:26
–	1	6185666.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:28
–	1	6157934.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:29
–	2	(application adj server)with (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:32
–	0	(application adj server)with (automatic$5 near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	EPO; JPO; DERWENT	2004/05/25 11:31
–	1	(application adj server)with ((automatic$5 or dynamic$5)near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	EPO; JPO; DERWENT	2004/05/25 11:31

–	3	(application adj server)with ((dynamic$5 or (user adj (activat$4 or enabl$4 or select$4)) or automatic$5) near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:35
–	35	(application adj server)same ((dynamic$5 or (user adj (activat$4 or enabl$4 or select$4)) or automatic$5) near3 (re$boot$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:35
–	103	(application adj server)same ((dynamic$5 or (user adj (activat$4 or enabl$4 or select$4)) or automatic$5) near3 (re$boot$4 or load$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:35
–	38	(application adj server)with ((dynamic$5 or (user adj (activat$4 or enabl$4 or select$4)) or automatic$5) near3 (re$boot$4 or load$4 or rest$4 or initializ$7 or reconfigur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:55
–	39	(application adj server)with ((dynamic$5 or (user adj (activat$4 or enabl$4 or select$4)) or automatic$5) near3 (re$boot$4 or load$4 or rest$4 or initializ$7 or re$configur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:37
–	0	((application adj server)with (re$provision$4 or re$allocat$4 or resiz4 or re$structur$4)) and (((selecti$4 or adapt$6) near4 (load$4 or install$4 or stor$4))same partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:19
–	4	((application adj server)with (re$provision$4 or re$allocat$4 or resiz4 or re$structur$4)) and (((application) near4 (load$4 or install$4 or stor$4))same partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:41
–	16	(application adj server)with (re$provision$4 or re$allocat$4 or resiz4 or re$structur$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:34
–	38	(application adj server)with ((dynamic$5 or (user adj (activat$4 or enabl$4 or select$4)) or automatic$5) near3 (re$boot$4 or load$4 or reset$4 or initializ$7 or re$configur$7 or reprovision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:36
–	22	(automatic$5 or dynamic$4) near4 re$provision$4	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:31
–	54	(application adj server)with (scal$6 near6 application)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 11:56
–	0	((application adj server)with (scal$6 near6 application)) and (((selecti$4 or adapt$6) near4 (load$4 or install$4 or stor$4))same partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:20
–	20	((application adj server)with (scal$6 near6 application)) and (((selecti$4 or adapt$6) near4 (load$4 or install$4 or stor$4 or remov$4 or uninstall$4)))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:20
–	29	((application adj server)with (scal$6 near6 application)) and (((select$5 or adapt$6) near4 (load$4 or install$4 or stor$4 or remov$4 or uninstall$4)))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:32
–	7967	(automatic$5 or dynamic$4) near4 (provision$4 or re$provision$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:31

—	1506	((automatic$5 or dynamic$4) near4 (provision$4 or re$provision$4)) and (((select$5 or adapt$6) near4 (load$4 or install$4 or stor$4 or remov$4 or uninstall$4)))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:32
—	2	(((automatic$5 or dynamic$4) near4 (provision$4 or re$provision$4)) and (((select$5 or adapt$6) near4 (load$4 or install$4 or stor$4 or remov$4 or uninstall$4)))) and ((dynamic$5 or (user adj (request$3 or demand$4)))near3 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:33
	2	(((automatic$5 or dynamic$4) near4 (provision$4 or re$provision$4)) and (((select$5 or adapt$6) near4 (load$4 or install$4 or stor$4 or remov$4 or uninstall$4)))) and ((application adj server)with (re$provision$4 or re$allocat$4 or resiz4 or re$structur$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:35
—	2	((automatic$5 or dynamic$4) near4 (provision$4 or re$provision$4)) with (application adj server)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:36
—	10	((automatic$5 or dynamic$4) near4 (provision$4 or re$provision$4)) same (application adj server)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:38
—	4107	((dynamic$5 or select$5 or adapt$6)near5 (load$4 or unload$4 or install$5 or uninstall$6))with application	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:40
—	7577	((dynamic$5 or select$5 or adapt$6)near5 (load$4 or unload$4 or install$5 or uninstall$6))with (application or service$1 or software)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:40
—	2	(((dynamic$5 or select$5 or adapt$6)near5 (load$4 or unload$4 or install$5 or uninstall$6))with (application or service$1 or software)) same (((first or one) adj (section or partition))with (storage or hard$disk or hard$drive))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:56
—	8487	((storage or hard$disk or hard$drive)with partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:58
—	0	(((storage or hard$disk or hard$drive)with (three adj3 partition$4))) same (image near6 (os or (operating adj system)))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 13:08
—	3	(((storage or hard$disk or hard$drive)with (three adj3 partition$4))) and (image near6 (os or (operating adj system)))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 12:59
—	36	(((storage or hard$disk or hard$drive)with partition$4)) same (image near6 (os or (operating adj system)))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 13:00
—	3	((((storage or hard$disk or hard$drive)with partition$4)) same (image near6 (os or (operating adj system)))) and ((remov$4 or uninstall$6)near5 application)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 13:01
—	11	(((storage or hard$disk or hard$drive)with partition$4)) same ((remov$4 or uninstall$6)near5 application)	USPAT; US-PGPUB; IBM_TDB	2004/05/25 13:01
—	0	(((storage or hard$disk or hard$drive)with (three adj3 partition$4))) and (select$5 near4 ((add$4 or install$5 or remov$4 or uninstall$6)with application))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 13:09
—	78	((storage or hard$disk or hard$drive)with (three adj3 partition$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/25 13:10
—	3663	(remov$4 or transfer$4 or sav$4 or stor$4)near6 (image adj (file or code))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 10:50

–	153	((remov$4 or transfer$4 or sav$4 or stor$4)near6 (image adj (file or code))) same ((stor$4 or sav$4)adj5 (location or partition))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 10:51
–	113	((remov$4 or transfer$4 or sav$4 or stor$4)near6 (image adj (file or code))) with ((stor$4 or sav$4)adj5 (location or partition))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 10:51
–	38	(((remov$4 or transfer$4 or sav$4 or stor$4)near6 (image adj (file or code))) same ((stor$4 or sav$4)adj5 (location or partition))) and ((upgrad$4 or modif$6 or download$4 or instal$6)near4 (new or version or different))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:34
–	17	((((remov$4 or transfer$4 or sav$4 or stor$4)near6 (image adj (file or code))) same ((stor$4 or sav$4)adj5 (location or partition))) and (partition$4)) and ((upgrad$4 or modif$6 or download$4 or instal$6)near4 (new or version or different))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 10:54
–	26	(((remov$4 or transfer$4 or sav$4 or stor$4)near6 (image adj (file or code))) same ((stor$4 or sav$4)adj5 (location or partition))) and (partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:28
–	618	((hard$disk or hard$drive or (hard adj (disk or drive))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:13
–	237	(((hard$disk or hard$drive or (hard adj (disk or drive))near4 partition$4)) and ((upgrad$4 or modif$6 or download$4 or instal$6)near4 (new or version or different))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:50
–	7	((((hard$disk or hard$drive or (hard adj (disk or drive))near4 partition$4)) and ((upgrad$4 or modif$6 or download$4 or instal$6)near4 (new or version or different))) and (automatic$4 near3 (provision$4 or re$provision$4 or re$configur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:42
–	0	us2002/0129217.apn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:45
–	0	2002/0129217.apn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:44
–	0	2002/0129217.ap.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:42
–	0	2002/0129217.pran.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:43
–	0	0129217.ap.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:43
–	5	129217.ap.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:44
–	0	0129217.apn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:44
–	3017	nichols.inv.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:46
–	0	nichols.inv. and 2002/0129217	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:45
–	0	nichols.inv. and "0129217"	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:45

–	1312	711/173	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:45
–	0	711/173 and (US2002/0129217)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:46
–	1	711/173 and nichols.inv.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:48
–	1	6405198.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 12:48
–	120	((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)	EPO; JPO; DERWENT	2004/05/27 12:49
–	3	(((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((upgrad$4 or modif$6 or download$4 or instal$6)near4 (new or version or different))	EPO; JPO; DERWENT	2004/05/27 12:50
–	2	(((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((upgrad$4 or modif$6 or download$4 or instal$6)near4 (image))	EPO; JPO; DERWENT	2004/05/27 13:01
–	0	(((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and (remot$4 near3((upgrad$4 or modif$6 or download$4 or instal$6)))	EPO; JPO; DERWENT	2004/05/27 13:01
–	10	(((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and (automatic$4 near3 (provision$4 or re$provision$4 or re$configur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:06
–	914265	(automatic$4 or internet or network near4 (provision$4 or re$provision$4 or re$configur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:07
–	457	((automatic$4 or internet or network near4 (provision$4 or re$provision$4 or re$configur$7))) and ((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:27
–	818	(sav$4 or stor$4)near6 ((working or current or old)adj image)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:26
–	2	(((automatic$4 or internet or network near4 (provision$4 or re$provision$4 or re$configur$7))) and ((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((sav$4 or stor$4)near6 ((working or current or old)adj image))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:15
–	1	((upgrad$4 or enhanc$4 or modifi$6 or newer or updat$4)near6 application)same(sav$4 or stor$4)near6 ((working or current or old)adj image)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:26
–	0	((upgrad$4 or enhanc$4 or modifi$6 or newer or updat$4)near6 application)same(sav$4 or stor$4)near6 ((working or current or old)adj image)	EPO; JPO; DERWENT	2004/05/27 13:26
–	2	((sav$4 or stor$4)near6 ((working or current or old)adj image)) and ((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:27
–	618	((hard$disk or hard$drive or (hard adj (disk or drive)))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:27
–	646	((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:56

-	172	(((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((upgrad$4 or enhanc$4 or updat$4 or down$load$4)near4 (image or application or software))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:29
-	56	((((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((upgrad$4 or enhanc$4 or updat$4 or down$load$4)near4 (image or application or software))) and ((sav$4 or stor$4 or back$5)near6 (working or current or old))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:57
-	148	((application adj server)with (re$provision$4 or re$configur$7 or provision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:36
-	4	(((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((application adj server)with (re$provision$4 or re$configur$7 or provision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:33
-	2	(((((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((upgrad$4 or enhanc$4 or updat$4 or down$load$4)near4 (image or application or software))) and ((sav$4 or stor$4 or back$5)near6 (working or current or old))) and ((application adj server)with (re$provision$4 or re$configur$7 or provision$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:34
-	7	(((((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((upgrad$4 or enhanc$4 or updat$4 or down$load$4)near4 (image or application or software))) and ((sav$4 or stor$4 or back$5)near6 (working or current or old))) and (application adj server)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:34
-	34	((application adj server)with (re$provision$4 or re$configur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:42
-	4	((appliance adj server)with (re$provision$4 or re$configur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:55
-	1406	((remot$4 or (network adj4 enabl$4))with (re$provision$4 or re$configur$7))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 13:56
-	290	(((remot$4 or (network adj4 enabl$4))with (re$provision$4 or re$configur$7))) and ((sav$4 or stor$4 or back$5)near6 (working or current or old))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:06
-	12	(((remot$4 or (network adj4 enabl$4))with (re$provision$4 or re$configur$7))) and ((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:07
-	4	((((remot$4 or (network adj4 enabl$4))with (re$provision$4 or re$configur$7))) and ((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive)))near4 partition$4)) and ((sav$4 or stor$4 or back$5)near6 (working or current or old))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:09
-	308	(((remot$4 or (network adj4 enabl$4))with (re$provision$4 or re$configur$7))) and ((remov$4 or sav$4 or stor$4 or back$5)near6 (working or current or old))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:07

–	5	((((remot$4 or (network adj4 enabl$4))with (re$provision$4 or re$configur$7))) and ((remov$4 or sav$4 or stor$4 or back$5)near6 (working or current or old))) and ((hard$disk or (non$volatile adj storage) or hard$drive or (hard adj (disk or drive))near4 partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:07
–	1	6052781.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:10
–	1	5136711.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:10
–	1	5492490.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/27 14:11
–	2	((re$plac$4 or updat$4)near5 ((boot or bios)adj3 (image or file))) and ((simultaneous44 or dynamic$4)near3 load$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:28
–	2	((re$plac$4 or updat$4)near5 ((boot or bios)adj3 (image or file))) and ((simultaneous$4 or dynamic$4)near3 load$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:28
–	1	((re$plac$4 or updat$4)near5 ((boot or bios)adj3 (image or file))) and (second adj partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:29
–	16	((re$plac$4 or updat$4)near5 ((boot or bios)adj3 (image or file))) and (partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:41
–	174	boot adj server	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:41
–	3	(boot adj server) and ((re$plac$4 or updat$4)near5 ((boot or bios)adj3 (image or file)))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:41
–	36	(boot adj server) and (partition$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/27 15:50
–	57	(re$plac$4 or updat$4)near5 ((boot or bios)adj3 (image or file))	USPAT; US-PGPUB; IBM_TDB	2004/05/27 16:08